

Locations

List a single location

```
GET /v1/inventory/location/{id}
```

Retrieves a single location by its ID.

Request body

Parameter	In	Required	Type	Description
<code>locationId</code>	path	Yes	integer	The location ID of the location you want to list.

Response - 200

```
{
  "id": 9,
  "name": "SCP",
  "publicationId": 5,
  "publicationQuote": "SCP",
  "impressions": 0,
  "impressionsWeekend": 0,
  "contacts": 0,
  "contactsWeekend": 0,
  "isChannel": 0,
  "url": "scp_home",
  "previewUrl": "",
  "code": null,
  "price": 0.0,
  "active": true,
  "locationTypes": [
    "full",
    "guaranteed"
  ],
  "numberOfBookings": 0
}
```

Response codes

Status	Meaning
200	Location listed.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Update a location

```
PUT /v1/inventory/location/{id}
```

Updates the name, URL, channel option code, publication, and location types of an existing location.

Request body

Parameter	In	Required	Type	Description
locationId	path	Yes	integer	The location ID of the location you want to list.
publicationId	body	Yes	integer	ID of the publication to which the location belongs.
name	body	No	string	Name of the location.

Parameter	In	Required	Type	Description
<code>url</code>	body	No	string	URL for identifying the location on the webpage.
<code>channelOptionCode</code>	body	No	integer	Determines if the location is for single positions or Channels. <code>0</code> means single position. Use <code>GET /v1/inventory/location-channel-option</code> for other valid <code>channelOptionCode</code> values for your account.
<code>locationTypes</code>	body	No	string	Location types that belong to this location. Options are <code>guaranteed</code> and/or <code>full</code>
<code>code</code>	body	No	string	Location code.
<code>price</code>	body	No	integer	Location price.

Response - 200

```
{
  "id": 9,
  "name": "SCP",
  "publicationId": 5,
  "publicationQuote": "SCP",
  "impressions": 0,
  "impressionsWeekend": 0,
  "contacts": 0,
  "contactsWeekend": 0,
  "isChannel": 0,
  "url": "scp_overview",
  "previewUrl": "",
  "code": "001",
  "price": 1.0,
  "active": true,
  "locationTypes": [
    "full",
    "guaranteed"
  ],
  "numberOfBookings": 0
}
```

Response codes

Status	Meaning
200	Location updated.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Delete a location

```
DELETE /v1/inventory/location/{id}
```

Set a location to inactive by ID.

Request body

Parameter	In	Required	Type	Description
locationId	path	Yes	integer	The ID of the location that you want deactivated.

Response codes

Status	Meaning
--------	---------

204	Location set to inactive.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

List all locations by publication

GET /v1/inventory/location

Lists all locations under a publication by it's ID.

Request body

Parameter	In	Required	Type	Description
publicationId	parameters	Yes	integer	The ID of the publication for which you want to list all locations.

Response - 200

```
[
  {
    "id": 4,
    "name": "Audio",
    "publicationId": 1,
    "publicationQuote": "DD",
    "impressions": 0,
```

```
        "impressionsWeekend": 0,
        "contacts": 0,
        "contactsWeekend": 0,
        "isChannel": 0,
        "url": "demo.com_audio",
        "previewUrl": "",
        "code": null,
        "price": 5.0,
        "active": true,
        "locationTypes": [
            "full"
        ],
        "numberOfBookings": 0
    },
    {
        "id": 3,
        "name": "Electronics",
        "publicationId": 1,
        "publicationQuote": "DD",
        "impressions": 0,
        "impressionsWeekend": 0,
        "contacts": 0,
        "contactsWeekend": 0,
        "isChannel": 0,
        "url": "demo.com_electronics",
        "previewUrl": "",
        "code": null,
        "price": 5.0,
        "active": true,
        "locationTypes": [
            "full",
            "guaranteed"
        ],
        "numberOfBookings": 0
    },
    {
        "id": 1,
        "name": "Home",
        "publicationId": 1,
        "publicationQuote": "DD",
        "impressions": 0,
        "impressionsWeekend": 0,
        "contacts": 0,
        "contactsWeekend": 0,
        "isChannel": 0,
        "url": "demo.com_home",
        "previewUrl": "",
        "code": "demo_web_home",
        "price": 5.0,
        "active": true,
        "locationTypes": [
            "full",
            "guaranteed"
        ],
        "numberOfBookings": 3
    }
}
```

```
    },
    {
      "id": 2,
      "name": "Kitchen",
      "publicationId": 1,
      "publicationQuote": "DD",
      "impressions": 0,
      "impressionsWeekend": 0,
      "contacts": 0,
      "contactsWeekend": 0,
      "isChannel": 0,
      "url": "demo.com_kitchen",
      "previewUrl": "",
      "code": null,
      "price": 5.0,
      "active": true,
      "locationTypes": [
        "full"
      ],
      "numberOfBookings": 0
    },
    {
      "id": 5,
      "name": "ROS",
      "publicationId": 1,
      "publicationQuote": "DD",
      "impressions": 0,
      "impressionsWeekend": 0,
      "contacts": 0,
      "contactsWeekend": 0,
      "isChannel": 3,
      "url": "",
      "previewUrl": "",
      "code": null,
      "price": 5.0,
      "active": true,
      "locationTypes": [
        "full"
      ],
      "numberOfBookings": 1
    }
  ]
}
```

Response codes

Status	Meaning
200	Locations listed.
400	Bad request - invalid input or parameters.

Status	Meaning
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Create a new location

POST /v1/inventory/location

Create a new location under a publication by ID.

Request body

Parameter	In	Required	Type	Description
publicationId	body	Yes	integer	ID of the publication to which the location belongs.
name	body	No	string	Name of the location.
url	body	No	string	URL for identifying the location on the webpage.

Parameter	In	Required	Type	Description
<code>channelOptionCode</code>	body	No	integer	Determines if the location is for single positions or Channels. <code>0</code> means single position. Use <code>GET /v1/inventory/location-channel-option</code> for other valid <code>channelOptionCode</code> values for your account.
<code>locationTypes</code>	body	No	string	Location types that belong to this location. Options are <code>guaranteed</code> and/or <code>full</code>
<code>code</code>	body	No	string	Location code.
<code>price</code>	body	No	integer	Location price.

Response - 201

```
{
  "id": 11,
  "name": "SCP BR",
  "publicationId": 5,
  "publicationQuote": "SCP",
  "impressions": 0,
  "impressionsWeekend": 0,
  "contacts": 0,
  "contactsWeekend": 0,
  "isChannel": 0,
  "url": "scp_br",
  "previewUrl": null,
  "code": "002",
  "price": 1.2,
  "active": true,
  "locationTypes": [
    "full",
    "guaranteed"
  ],
  "numberOfBookings": 0
}
```

Response codes

Status	Meaning
201	Location created.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Revision #1

Created 2026-09-23 09:51:29 UTC by Casper Steuperaert

Updated 2026-09-23 09:51:40 UTC by Casper Steuperaert