

Positions

List a single position

```
GET /v1/inventory/position/{id}
```

Lists the chosen positions information by ID.

Request body

Parameter	In	Required	Type	Description
<code>positionId</code>	path	Yes	integer	The position ID whose information you want listed.

Response - 200

```
{
  "id": 9,
  "publisherId": 1,
  "transferId": 0,
  "active": true,
  "creation": "Mar 25, 2026, 2:31:29 PM CET",
  "edited": "Mar 25, 2026, 2:31:29 PM CET",
  "name": "",
  "formatId": 4,
  "formatName": "Billboard",
  "formatWidth": 970,
  "formatHeight": 250,
  "formatSize": 0,
  "locationId": 5,
  "locationName": "ROS",
  "locationTypeId": 10,
  "publicationName": "Demo Display",
  "previewUrl": "",
  "url": ""
}
```

Response codes

Status	Meaning
200	Position listed.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Updating a position

```
PUT /v1/inventory/position/{id}
```

Updates a chosen positions name, format, location, position type, active status, and URL. Fields the request omits are left as they are.

Request body

Parameter	In	Required	Type	Description
id	path	Yes	integer	The positions ID.
active	body	No	boolean	Whether the position is active or not.
name	body	No	string	Name of the position, recommended for use with the Campaign Manager UI.

Parameter	In	Required	Type	Description
<code>formatId</code>	body	No	integer	ID of the positions format.
<code>locationId</code>	body	No	integer	ID of the positions location.
<code>url</code>	body	No	string	URL for identifying the position.
<code>positionTypeId</code>	body	No	integer	ID of the position type (when applicable).

Updating a position

```
{
  "active": true,
  "name": "SCP Halfpage",
  "formatId": 1,
  "locationId": 9,
  "url": "_scp_halfpage",
  "positionTypeId": 10
}
```

Response - 200

```
{
  "id": 19,
  "publisherId": 5,
  "transferId": 0,
  "active": true,
  "creation": "Sep 22, 2026, 11:46:01 AM CEST",
  "edited": "Sep 22, 2026, 11:52:26 AM CEST",
  "name": "SCP Halfpage",
  "formatId": 1,
  "formatName": "Halfpage",
  "formatWidth": 300,
  "formatHeight": 600,
  "formatSize": 0,
  "locationId": 9,
  "locationName": "SCP",
  "locationTypeId": 10,
  "publicationName": "String Created Publication",
  "previewUrl": "",
  "url": "_scp_halfpage"
}
```

Response codes

Status	Meaning
200	Position updated.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Delete a position

```
DELETE /v1/inventory/position/{id}
```

Sets a position to inactive by ID.

Request body

Parameter	In	Required	Type	Description
positionId	path	Yes	integer	The ID of the position you want deactivated.

Response codes

Status	Meaning
204	Position set to inactive.

Status	Meaning
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

List all positions

GET /v1/inventory/position

List the details of all positions.

Request body

Parameter	In	Required	Type	Description
publicationId	body	No	integer	The publication ID of the publication you want to filter positions on.
active	body	No	boolean	Filter on the active or inactive status of positions.

Response - 200

```
[
  {
    "id": 1,
```

```
    "publisherId": 1,
    "transferId": 0,
    "active": true,
    "creation": "Mar 13, 2026, 3:09:34 PM CET",
    "edited": "Mar 13, 2026, 3:09:34 PM CET",
    "name": "",
    "formatId": 4,
    "formatName": "Billboard",
    "formatWidth": 970,
    "formatHeight": 250,
    "formatSize": 0,
    "locationId": 2,
    "locationName": "Kitchen",
    "locationTypeId": 10,
    "publicationName": "Demo Display",
    "previewUrl": "",
    "url": ""
  },
  {
    "id": 2,
    "publisherId": 1,
    "transferId": 0,
    "active": true,
    "creation": "Mar 13, 2026, 3:09:46 PM CET",
    "edited": "Mar 13, 2026, 3:12:44 PM CET",
    "name": "",
    "formatId": 1,
    "formatName": "Halfpage",
    "formatWidth": 300,
    "formatHeight": 600,
    "formatSize": 0,
    "locationId": 2,
    "locationName": "Kitchen",
    "locationTypeId": 10,
    "publicationName": "Demo Display",
    "previewUrl": "",
    "url": ""
  },
  {
    "id": 3,
    "publisherId": 1,
    "transferId": 0,
    "active": true,
    "creation": "Mar 13, 2026, 3:09:59 PM CET",
    "edited": "Mar 13, 2026, 3:12:56 PM CET",
    "name": "",
    "formatId": 3,
    "formatName": "Wide Skyscraper",
    "formatWidth": 160,
    "formatHeight": 600,
    "formatSize": 0,
    "locationId": 3,
    "locationName": "Electronics",
    "locationTypeId": 10,
    "publicationName": "Demo Display",
```

```

    "previewUrl": "",
    "url": ""
  },
]

```

Response codes

Status	Meaning
200	Positions listed.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Create a position

POST /v1/inventory/position

Creates a new position (ad slot) linked to a location, format, and position type. A request that omits the active status creates an active position.

Request body

Parameter	In	Required	Type	Description
-----------	----	----------	------	-------------

<code>active</code>	body	No	boolean	Whether the position is active or not. A request that omits the active status creates an active position.
<code>name</code>	body	No	string	Name of the position, recommended for use with the Campaign Manager UI.
<code>formatId</code>	body	Yes	integer	ID of the positions format.
<code>locationId</code>	body	Yes	integer	ID of the positions location.
<code>url</code>	body	No	string	URL for identifying the position.
<code>positionTypeId</code>	body	No	integer	ID of the position type (when applicable).

Creating a new position

```
{
  "active": true,
  "name": "SCP Billboard",
  "formatId": 4,
  "locationId": 9,
  "url": "_scp_billboard",
  "positionTypeId": 10
}
```

Response - 201

```
{
  "id": 20,
  "publisherId": 5,
  "transferId": 0,
  "active": true,
  "creation": "Sep 22, 2026, 1:56:07 PM CEST",
  "edited": "Sep 22, 2026, 1:56:07 PM CEST",
  "name": "SCP Billboard",
  "formatId": 4,
  "formatName": "Billboard",
  "formatWidth": 970,
  "formatHeight": 250,
  "formatSize": 0,
  "locationId": 9,
```

```
"locationName": "SCP",  
"locationTypeId": 10,  
"publicationName": "String Created Publication",  
"previewUrl": null,  
"url": "_scp_billboard"  
}
```

Response codes

Status	Meaning
201	Position created.
400	Bad request - invalid input or parameters.
401 / 403	Not authenticated / not allowed.
404	Not Found - Resource not found.
405	Method not allowed
406	Not acceptable
409	Conflict.
415	Unsupported media type
500	Internal Server Error - Unexpected failure.

Revision #1

Created 2026-09-23 09:50:50 UTC by Casper Steuperaert

Updated 2026-09-23 09:51:13 UTC by Casper Steuperaert